DR. MÖLLER & SCHMELZ GmbH

Gesellschaft für angewandte Mikrobiologie



CuSO₄-Agar

Version: 02/2018

M&S item number: 5039 (4 x 250 ml)
Profile: Polycarbonate bottles

Color: Brown greenish

Storage: Dark and dry at 4 – 12 °C

Shelf life: 8 months

Description and application range

CuSO₄-Agar is used for the determination and colony count of wild yeasts and wild Saccharomyces yeasts in brewery. The composition of the medium supports the growth of wild yeasts, at the same time CuSO₄ inhibits growth and fermentation performance of some other yeasts. The low pH inhibits the development of accompanying bacteria. The medium is manufactured and quality tested in compliance with ISO 11133:2014 standard.

Typical composition

Malt extract	30.0 g/l
Peptone of soy	3.0 g/l
Copper sulfate	0.5 g/l
Bacteriological Agar	15.0 g/l

Final pH: 5.7 ± 0.2

Microbiological quality control

Bacterial contamination

Incubation: aerobically at room temperature for 3 days, specification: no growth

Productivity qualitative analysis

Incubation: aerobically at 25 - 30 °C for 48 ± 3 h, approx. inoculum: 80 - 120 CFU

Microorganism	Test strain	Specification	Appearance
Schizosaccharomyces pombe	DSM 70576	Good growth	Beige
Zygosaccharomyces rouxii	DSM 7525	Good growth	Beige
Brettanomyces bruxellensis	DSM 70001	Growth	Beige
Rhodotorula bacarum	DSM 70854	Moderate growth	Beige to rose
Saccharomyces cerevisiae	DSM 70449	Inhibited growth	Beige, little