

# Falcon® Pipet Controller

- ▶ Ergonomic design for exceptional comfort
- ▶ LCD display for continuous visualization of speed, modes, and battery status
- ▶ Easy access to the battery compartment
- ▶ Easy maintenance



## Falcon Pipet Controller

The light, ergonomic, motorized pipet controller is designed for use with glass and plastic serological pipets from 0.5 to 100 mL volume ranges. Conveniently positioned switches change operating modes and speeds quickly to handle different liquid volumes and viscosities. Aspirating and dispensing speed is controlled through the finger triggers. When fully charged, the batteries enable up to 8 hours of continuous use. The large LCD display clearly indicates battery status, pipetting mode and speed.

The Falcon Pipet Controller is supplied with a two-position charging stand, a universal battery charger, and three batteries. Two 0.2 µm and two 0.45 µm hydrophobic polytetrafluoroethylene (PTFE) filters are supplied with the pipet controller. Additional filters are available as standard accessories. The filters, pipet holder, and nosepiece are autoclavable.

## Falcon Pipet Controller Ordering Information

Cat. No.	Description	Qty
<b>Falcon Pipet Controller</b>		
357469	Standard version with two 0.2 µm filters and two 0.45 µm filters, 2-position charging stand, universal power supply, and set of 3 batteries	1
357470	EUR version with two 0.2 µm filters and two 0.45 µm filters, 2-position charging stand, universal power supply and set of 3 batteries	1
357471	US version with two 0.2 µm filters and two 0.45 µm filters, 2-position charging stand, universal power supply and set of 3 batteries	1
<b>Falcon Pipet Controller Accessories</b>		
357472	Hydrophobic PTFE filter (0.2 µm), set of 5	1
357473	Hydrophobic PTFE filter (0.45 µm), set of 5	1
357474	Silicone pipet holder	1
357486	Battery (set of 3)	1



Two-position Charging Stand